Contour Collection
WALL AND SOFFIT PANELS

TAYLOR
METAL PRODUCTS

Table of Contents

WALL AND SOFFIT PANELS

ADDITIONAL INFORMATION

Contour Express Series™

Contour Express Series™ offers faster lead times than Contour Series™ and Contour Reveal™! Contour Express panels give you various design options for siding and soffit applications. Whether you are looking for clean consistent lines or want to mix and match different profiles, either option will give your building a lifetime of elegance.

CE-A

16" COVERAGE
7/8"
1"   1⅝"

CE-B

16" COVERAGE
7/8"
5⅝"   1⅝"   1"

CE-C

16" COVERAGE
7/8"
1⅝"   1"   9⅝"

CE-D

12" COVERAGE
7/8"
9⅝"

**CE-E**

8" COVERAGE
7/8"
5⅝"

Board & Batten

12" & 16" COVERAGE
3/4"
2"

High Performance Standoff Clip

1/2"

High Performance Standoff Clips are used when ventilation is required or when using 18 and 20 gauge

Standard Clip

Standard Clips are used when flush mounting is required

KEY FEATURES
of Contour Express Series™

8", 12" and 16" panel coverages

24 and 22 Tru-Gauge™ and .032" Aluminum Screw Flange and Clip attachment available (screw flange available at an additionl cost)

7/8" deep panel, 3/4" deep Board & Batten panel

2' to 20'10" panel lenghths

Custom profiles available

Vertical or Horizontal wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E283, ASTM E331, ASTM E1680, ASTM E1646, ASTM E1592, ASTM A653/A924, ASTM A792 and ASTM B209

Manufactured in Salem OR

CE-A w/ clip flange   CE-B w/ screw flange

# TAYLOR
METAL PRODUCTS

Contour Classic Series™

Contour Series™ gives you the custom look you want within your budget. If one of our standard profiles does not match your design requirements, no problem, TMP will fabricate the profile that matches your projects needs – not ours. Contact us so we can help fulfill your vision of the perfect look.

C-1
7/8" 16" COVERAGE 1¼" 1¾"

C-2
¾" 16" COVERAGE 1¼" 5⅝"

C-3
7/8" 16" COVERAGE 5¼" 1⅝"

C-4
¾" 16" COVERAGE 1¼" 3" 1⅜"

C-5
1¼" OR 1½" 12" COVERAGE 2" 2"

C-6
1¼" OR 1½" 12" COVERAGE 6" 2" 2"

C-7
1" OR 1¼" 12" COVERAGE 6"

C-8
1¼" OR 1½" 12" COVERAGE 2" 4"

C-9
1½" 12" COVERAGE 2" 2" 6"

C-10
1½" 12" COVERAGE 6" 2" 2"

C1-A
7/8" 16" COVERAGE 1¾" 2½"

C1-B
7/8" 12" COVERAGE 1¹¹⁄₁₆" 9⁵⁄₁₆"

C1-C
1" 16" COVERAGE 3" 1¼"

C1-D
7/8" 12" COVERAGE 1¼" 9¹³⁄₁₆"

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

KEY FEATURES
of Contour Classic Series™

12" and 16" panel coverage

3/4", 7/8", 1-1/4" and 1-1/2" depths

2' to 20'10" panel lengths

24 and 22 gauge Tru-Gauge™, .032 and .040 Aluminum

20 and 18 gauge, .050 and .063 Aluminum available (*please inquire*)

ASTM E283, ASTM E331, ASTM E1680, ASTM E1646, ASTM A653, ASTM A792 ASTM B209, ASTM E1592 and ASTM E330* (limited)

Custom profiles available

Application can be vertical or horizontal

Acceptable for use as a soffit panel

Panels are interchangeable

Clip systems available - flush mount and high performance standoff clip (required for 18 and 20 gauge)

Manufactured in Riverside CA, Sacramento CA & Salem OR

C2-A
12" COVERAGE, 7/8", 1½", 1 9/16", 5½"

C2-B
12" COVERAGE, 7/8", 5½", 1 9/16", 1½"

C2-C
12" COVERAGE, 7/8", 1 9/16", 3½"

C2-D
12" COVERAGE, 7/8", 9½"

C2-E
12" COVERAGE, 7/8", 1 9/16", 1½"

C5-A
16" COVERAGE, 7/8", 2 11/16"

C6-A
12" COVERAGE, 7/8", 2 11/16"

C8-A
12" COVERAGE, 1½", 3"

C8-B
16" COVERAGE, 1¼", 4"

C9-A
12" COVERAGE, 1½", 4", 2"

Contour Reveal™

Contour Reveal™ Panels give you various design options for siding and soffit applications. Whether you are looking for clean consistent lines or want to mix and match different profiles, either option will give your building a lifetime of elegance.

FEATURED PROJECT:
Contour Reveal™ Panel | Oakway Hyatt | Eugene, OR

KEY FEATURES
### of Contour Reveal™ CR-A to CR-G

12" panel coverage

24 and 22 Tru-Gauge™ and .032" Aluminum.
Screw Flange and Clip attachment available
(screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum.
These require the use of high performance clip (please inquire)

1" and 1-1/2" deep panels

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E283, ASTM E331, ASTM E1680, ASTM E1646, ASTM E1592, ASTM A653/A924, ASTM A792 and ASTM B209

Manufactured in Salem OR & Riverside CA

CR-A
12" COVERAGE
1" OR 1½"
6"

CR-B
12" COVERAGE
1" OR 1½"
7"

CR-C
12" COVERAGE
1" OR 1½"
8"

CR-D
12" COVERAGE
1" OR 1½"
9"

CR-E
12" COVERAGE
1" OR 1½"
10"

CR-F
12" COVERAGE
1" OR 1½"
11"

CR-G
12" COVERAGE
1" OR 1½"
4"

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

CR-A w/ clip flange   CR-A w/ screw flange

Elevated Series

ELV-28 w/ clip flange

ELV-55 w/ clip flange

KEY FEATURES
of Elevated Series

10" panel coverage

24 and 22 Tru-Gauge™ and .032" and .040" Aluminum Screw Flange and Clip attachment available (screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum These require the use of high performance clip (please inquire)

Seamless runs, fewer runs and less labor

3/4" deep panel

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E1680, ASTM E1646, ASTM E331, ASTM E283, ASTM A653/,A924, ASTM A792, ASTM B209

ELV-28 Clip Flange

ELV-28 Screw Flange

ELV-37 Clip Flange

ELV-37 Screw Flange

ELV-46 Clip Flange

ELV-46 Screw Flange

ELV-55 Clip Flange

ELV-55 Screw Flange

TAYLOR
M E T A L   P R O D U C T S

Integral Series

KEY FEATURES
of Integral Series

12" and 16" panel coverage

24 and 22 Tru-Gauge™ and .032" Aluminum.
Screw Flange and Clip attachment available
(screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum.
These require the use of high performance clip (please inquire)

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E283, ASTM E331, ASTM E330, ASTM E1680, ASTM E1646, ASTM E1592, ASTM A653/A924, ASTM A792 and ASTM B209


CI-2-12 w/ clip flange

CI-2-12 w/ screw flange

CI-2-12

12" COVERAGE — 7/8" — 1 1/4" — 1 3/4"

CI-3B-16 (C-2)

16" COVERAGE — 3/4" — 1 1/4" — 5 5/8"

CI-2-16 (C-1)

16" COVERAGE — 7/8" — 1 1/4" — 1 3/4"

CI-4-12

12" COVERAGE — 7/8" — 1 1/4" — 5 5/8"

CI-3-12

12" COVERAGE — 7/8" — 5 5/8" — 1 1/4"

CI-4-16

16" COVERAGE — 7/8" — 1 1/4" — 9 5/8"

CI-3-16

16" COVERAGE — 7/8" — 9 5/8" — 1 1/4"

CI-5-12

12" COVERAGE — 7/8" — 9 5/8"

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

CI-3B-16 w/ clip flange

CI-4-16 w/ clip flange

CI-6-12 w/ clip flange

CI-7-12 w/ clip flange

CI-8-12 w/ clip flange

CI-9-16 w/ clip flange

CI-6-12 (C1-B)

12" COVERAGE
$\frac{7}{8}$"
$1\frac{3}{4}$"
$9\frac{1}{4}$"

CI-8-12

12" COVERAGE
$\frac{7}{8}$"
$5\frac{5}{8}$"

CI-7-12

12" COVERAGE
$\frac{7}{8}$"
$5\frac{1}{4}$"
$1\frac{3}{4}$"

CI-9-12

12" COVERAGE
$\frac{7}{8}$"
$1\frac{1}{4}$"
$1\frac{3}{4}$"

CI-7-16

16" COVERAGE
$\frac{7}{8}$"
$9\frac{1}{4}$"
$1\frac{3}{4}$"

CI-9-16

16" COVERAGE
$\frac{7}{8}$"
$1\frac{1}{4}$"
$1\frac{3}{4}$"

Aspire Series

AS-D-12 w/ clip flange

AS-D-12 w/ screw flange

AS-A-12 (C2-E)

12" COVERAGE
7/8"
1 9/16" 1 1/2"

AS-B-12 (C2-A)

12" COVERAGE
7/8"
1 1/2" 1 9/16" 6 7/16"

AS-C-12 (C2-B)

12" COVERAGE
7/8"
5 1/2" 1 9/16" 1 1/2"

AS-D-12 (C2-C)


12" COVERAGE
7/8"
1 9/16" 3 1/2"

AS-E-12 (C2-D)

12" COVERAGE
7/8"
9 1/2"

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

KEY FEATURES
### of Aspire Series

12" panel coverage

24 and 22 Tru-Gauge™ and .032" and .040" Aluminum.
Screw Flange and Clip attachment available
(screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum.
These require the use of high performance clip (please inquire)

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E283, ASTM E331, ASTM E1680, ASTM E1646,
ASTM E1592, ASTM A653/A924, ASTM A792 and ASTM B209

AS-D-12 panel attachment

InFLEXion Series

IC60-12 w/ clip flange

IC70-12 w/ clip flange

KEY FEATURES
of InFLEXion Series

12" panel coverage

24 and 22 Tru-Gauge™ and .032" Aluminum Screw Flange and Clip attachment available (screw flange available at an additionl cost)

Seamless runs, fewer runs and less labor

1-1/4" to 1-1/2" deep panel

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E331, ASTM E283, ASTM E1592, ASTM E1680, ASTM E1646, ASTM A653/A924, ASTM A792, ASTM B209

IC60-12 (C-5)

12" COVERAGE — 1¼" OR 1½" — 2" — 2"

IC70-12

12" COVERAGE — 1¼" OR 1½" — 10"

IC80-12 (C-7)

12" COVERAGE — 1" OR 1¼" — 6"

IC90-12 (C-8)

12" COVERAGE — 1¼" OR 1½" — 2" — 4"

TAYLOR
M E T A L   P R O D U C T S

Neo Series

KEY FEATURES
of Neo Series

12" and 16" panel coverage

24 and 22 gauge Tru-Gauge™, .032 and .040 Aluminum Screw Flange and Clip attachment available (screw flange available at an additional cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum. These require the use of high performance clip (please inquire)

Seamless runs, few runs and less labor

7/8" to 1-1/2" deep panel

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E1680, ASTM E1646, ASTM E1592, ASTM E331, ASTM E283, ASTM A653/A924, ASTM A792, ASTM B209

NX-1 w/ clip flange

NX-1 panel attachment

NX-1 (C-5) — 12" COVERAGE, 1¼" OR 1½", 2", 2"

NX-2 (C-6) — 12" COVERAGE, 1¼" OR 1½", 6", 2"

NX-3 (C-9) — 12" COVERAGE, 1½", 2", 2", 6"

NX-3A (C9-A) — 12" COVERAGE, 1½", 4", 2"

NX-4 (C-10) — 12" COVERAGE, 1½", 6", 2", 2"

NX-6 — 12" COVERAGE, 1" OR 1½", 11½"

NX-7 (CR-F) — 12" COVERAGE, 1" OR 1½", 11"

NX-8 (CR-E) — 12" COVERAGE, 1" OR 1½", 10"

NX-9 (CR-C) — 12" COVERAGE, 1" OR 1½", 8"

NX-10 (CR-A) — 12" COVERAGE, 1" OR 1½", 6"

NX-11 (CR-G) — 12" COVERAGE, 1" OR 1½", 4"

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

Trinity Series

CT-1 w/ clip flange

CT-1 w/ screw flange

KEY FEATURES
of Trinity Series

12" and 16" panel coverage

24 and 22 Tru-Gauge™ and .032" and .040" Aluminum Screw Flange and Clip attachment available (screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum These require the use of high performance clip (please inquire)

7/8" to 1-1/2" deep panel

2' to 20'10" panel lengths

Custom profiles available

Vertical or Horizontal Wall application

Acceptable for use as a soffit panel

Interchangeable panel widths and configurations

Perforated options available (please inquire)

ASTM E1680, ASTM E1646, ASTM E1592, ASTM E331, ASTM E283, ASTM A653/,A924, ASTM A792, ASTM B209

CT-1 (C6-A)
7/8" — 12" COVERAGE — 2¹¹⁄₁₆"

CT-2 (C5-A)
7/8" — 16" COVERAGE — 2¹¹⁄₁₆"

CT-2-12 (C-META)
5/8" — 12" COVERAGE — 1½"

CT-3 (C8-A)
1½" — 12" COVERAGE — 3"

CT-4 (CR-A)
1" OR 1½" — 12" COVERAGE — 6"

CT-5 (CR-B)
1" OR 1½" — 12" COVERAGE — 7"

CT-6 (CR-C)
1" OR 1½" — 12" COVERAGE — 8"

CT-7 (CR-D)
1" OR 1½" — 12" COVERAGE — 9"

CT-8 (C8-B)
1¼" — 16" COVERAGE — 4"

CT-9 (C1-D)
7/8" — 12" COVERAGE — 1¼" — 9¹³⁄₁₆"

CT-10 (C1-C)
1" — 16" COVERAGE — 3" — 1¼"

CT-11 (C1-B)
7/8" — 12" COVERAGE — 1¾" — 9¼"

CT-12 (C1-A)
7/8" — 16" COVERAGE — 1¾" — 2½"

Impact Series

KEY FEATURES
of Impact Series

12" panel coverage

24 and 22 Tru-Gauge™ and .032" and .040" Aluminum. Screw Flange and Clip attachment available (screw flange available at an additionl cost)

Custom 20 & 18 Tru-Gauge™ and .050" and .063" Aluminum. These require the use of high performance clip (please inquire)

Custom lengths 2' to 20'10"

Standard trim, custom trim and accessory packages available

Color matched neoprene washered screws

ASTM E283, ASTM E331, ASTM E1680, ASTM E1646, ASTM E1592, ASTM A653/A924, ASTM A792 and ASTM B209

Manufactured in Salem OR, Riverside CA & Sacramento CA

Chevron V™
12" COVERAGE
1½"

Chevron W™
12" COVERAGE
1½"

Cascade 1
12" COVERAGE
1½"

Cascade 2
12" COVERAGE
1½"

Cascade 3
12" COVERAGE
1½"

Cascade 4
12" COVERAGE
1½"

Cascade 9
12" COVERAGE
1½"

Zig Zag
14" COVERAGE
1"

Chevron V™ w/ screw flange

Chevron W™ w/ screw flange

Cascade 3 w/ clip flange

NOTE: 22 gauge panels require a larger stretch out for the screw flange.

Contour Specifications

STANDARD COOL KYNAR 500® PVDF RESIN
40-Year Residential/20 and 30 Year Commercial Manufacturer's Limited Warranty

Glacier White SRI-85	Sierra Tan SRI-60	Parchment SRI-58	Sterling Grey SRI-44	Zinc Grey SRI-40
Charcoal Grey SRI-25	Saddle Tan SRI-37	Medium Bronze SRI-36	Musket SRI-31	Dark Bronze SRI-27
Tahoe Blue SRI-31	Pacific Blue SRI-26	Hemlock Green SRI-36	Forest Green SRI-24	Pine Green SRI-25
Terra Cotta SRI-43	Tile Red SRI-35	Colonial Red SRI-37	Retro Red SRI-42	
Graphite Black SRI-26	Matte Black SRI-23			

PREMIUM METALLIC COOL KYNAR 500® PVDF

Metallic Silver SRI-60	Champagne SRI-48	Antique Patina SRI-40	Copper Penny SRI-50	Weathered Zinc SRI-39

SPECIALIZED MATERIAL

|			
16 oz. and 20 oz. Copper *please inquire* Pure copper has no warranty.	Zincalume® Plus SRI-65 No finish warranty – 25 yr. perforation warranty.	Vintage® SRI-22 *Vintage® has a color range that can vary from batch-to-batch. See TMP website for more info.*	Rusteel Plus™ (A606) *Rusteel Plus™ has no metallic coating, is unpainted and has no warranty.*

Please refer to TMP's Commercial/Residential Color Chart for full availability of finish options. These printed chips provide a close representation of the colors. Metal samples are available upon request. Coatings are low gloss 10-15% sheen. SRI = Solar Reflective Index. SRI values listed above are in accordance with ASTM E1980 and are based on actual testing. ***Oil Canning is not a cause for material rejection***

PVDF is a fluropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. Zincalume & Zincalume® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

TAYLOR
METAL PRODUCTS

TAYLOR
METAL PRODUCTS

RIVERSIDE CA | SACRAMENTO CA | SALEM OR | AUBURN WA | SPOKANE WA

WWW.TAYLORMETAL.COM

Other Taylor Metal companies:

CHAMPION METAL
a Taylor Metal Company

ROLLED STEEL PRODUCTS
a Taylor Metal Company
RSP

In partnership with:

steelscape

PPG

ENERGY STAR

CRRC
COOL ROOF RATING COUNCIL
MEMBER