




TAYLOR
METAL PRODUCTS

Residential Flashing Guide


Versa-Span™ / Clip-Lock™

Northern California




ROOF PLAN SCALE: 1/4" = 1'-0"

Standard Kynar 500® PVDF Resin



PREMIUM METALLIC COOL KYNAR 500® COLORS



SPECIALIZED MATERIAL



Other Taylor Metal companies:



In partnership with:




SRI=Solar Reflectance Index, these are not paint codes. Oil canning is not a cause for material rejection. These printed chips provide a close representation of the colors. Metal samples are available upon request. See inside for panel, gauge & color availability.

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

Panels shown in this brochure


Versa-Span™

Panel Options: Striations, Accent Ribs, Pencil Ribs, Flat Pan




Clip-Lock 100™ / Clip-Lock 150™

Panel Options: Striations, Accent Ribs, Flat Pan




Lifetime Soffit™

Panel Options: Single or Double V-Grooves or Striated




Shadowline™

Panel Options: Single or Double V-Grooves or Striated



SmoothWall™


Panel Options: Single or Double V-Grooves or Striated



Other popular panels offered by Taylor Metal Products


Easy-Lock™

Panel Options: Striations, Accent Ribs




MS-100™ / MS-150™

Panel Options: Striations, Accent Ribs, Flat Pan




MS-200™


Panel Options: Striations, Accent Ribs, Flat Pan




7/8" Classic Corrugated™ 26ga




7/8" Classic Corrugated™ 22ga, 24ga, Aluminum



Tuff Rib




PBR



HR-34™


Longer lead time may apply

Standard Rolled Shown - Reverse Rolled Available



T-Panel™

Panel Options: Striations, Accent Ribs, Flat Pan



For our **entire** panel collection, panel options and additional information, visit www.taylormetal.com.

For sample requests, please go to www.taylormetal.com/forms

StreamLine™ 26ga 12'6" Flashings

(SLELP) Eave Low Pitch 	(SLE15) 1/2" Eave 	(SLEH) Hook Eave 	(SLE13) 1X3 Eave 	(SLGN) Narrow Gable 	(SLGC) Compensating Gable
(SLGCH) Hemmed Compensating Gable 	(SLGG17) Gable G-17 	(SLGB) Box Gable 	(SLGBNH) Box Gable No Hem 	(SLPF) Prow 	(SLRFV) Ridge Full Vented
(SLRS) Field Notched Ridge 	(SLR17) R-17 Ridge 	(SLREC) Field Notched Peak Flashing 	(SLRECH) Hemmed Peak Flashing 	(SLRECV) Vented Peak Flashing 	(SLHS) Field Notched Hip
(SLHR5.625) Hip/Ridge 	(SLHR7) Hip/Ridge 	(SLVF24) 24" Valley Flashing 	(SLVF24H) 24" Valley Flashing Hemmed 	(SLVFW) Wide Valley Flashing 	(SLSW) Sidewall
(SLSWC) Compensating Sidewall 	(SLEWH) Hemmed Endwall 	(SLEWN) Field Notched Endwall 	(SLPAN) Pan <p>16.75" S.O.</p>	(SLP3) 3.5" Pan 	(SLP5) 5.5" Pan
(SLEW17) EW-17 Vented Endwall 	(SLPCIN) FieldNotched Inside Pitch Change 	(SLPCON) FieldNotched Outside Pitch Change 	(SLPCOH) Outside Pitch Change Hemmed 	(SLPCIH) Inside Pitch Change Hemmed 	(SLSR) Reversing Strip
(SLOC) Offset Cleat 	(SLSF) Support Flashing 	(SLGCL) Gable Cleat 	(SLRECC) Peak Cleat 	(SLCF) Standard C-Casing 	(SLZC) Zee Closure

Note: SLOC only available as 24ga 10' flashings

Note: SLSF only available as 24ga 10' flashings

Note: SLGCL only available as 24ga 10' flashings































Note: SLRECC only available as 24ga 10' flashings


Note: SLSR only available as 24g 10' flashings

(SLPS) 4" Perforated Strip

Note: SLPS only available as 24ga Zincoalume 10'

Versa-Span™ 10' Flashings

(VSES) Standard Eave	(VSEH) Hook Eave	(VSAG) Alternate Gable	(VSGB) Box gable	(VSRS) Standard Ridge	(VSWTRFV) WT Ridge Full Vented
					
(VSRFV) Ridge Full Vented	(VSREC) Peak Flashing	(VSRECV) Vented Peak Flashing	(VSWTRECV) WT Vented Peak Flashing	(VSVFV) Wide Valley Flashing	(VSVF) 24" Valley Flashing
					
(VSSW) Sidewall	(VSCSW) Curb Sidewall	(VSEW) Endwall	(VSEWV) Vented Endwall	(VSWTEWV) WT Vented Endwall	(VSCH) Curb Endwall
					
(VSPAN) Back Pan	(VSPCI) Inside Pitch Change	(VSPCO) Outside Pitch Change	(VSSF) Support Flashing	(VSGC) Gable Cleat	(VSAGC) Alt Gable Cleat
					
(VSOC) Offset Cleat	(VSRECC) Peak Cleat	(VSVRECC) Vented Peak Cleat	(VSPDV) Perforated Vent Drip: E2886 Ember Resistant	(VSZC) Zee Closure	(VSPS) 4" Perforated Strip
					



Clip-Lock™ 10' Flashings

(CL100ES/CL150ES) Standard Eave	(CL100EH/CL150EH) Hook Eave	(CL100GA/CL150GA) Alternate Gable	(CL100GB/CL150GB) Box Gable	(CL100RS/CL150RS) Standard Ridge	(CL100RFV/CL150RFV) Full Vented Ridge
(CL100REC/CL150REC) Peak Flashing	(CL100RECV/CL150RECV) Vented Peak Flashing	(CL100VFW/CL150VFW) Wide Valley Flashing	(CL100VF/CL150VF) Valley Flashing	(CL100SW/CL150SW) Sidewall	(CL100CSW/CL150CSW) Curb Sidewall
(CL100EW/CL150EW) Endwall	(CL100EWW/CL150EWW) Vented Endwall	(CL100CH/CL150CH) Curb Endwall	(CL100PAN/CL150PAN) Pan Flashing	(CL100OC/CL150OC) Offset Cleat	(CL100SF/CL150SF) Support Flashing
(CL100GC/CL150GC) Gable Cleat	(CL100AGC/CL150AGC) Alternate Gable Cleat	(CL100RECC/CL150RECC) Peak Cleat	(CL100VRECC/CL150VRECC) Vented Peak Cleat	(CL100ZC/CL150ZC) Zee Closure	(CL100PS/CL150PS) 4" Perforated Strip
(CL100RF/CL150RF) Reglet					

SmoothWall™ 10' Flashings

Lifetime Soffit™ 10' Flashings

(SFCF) C-Flashing	(SFFA) Angle Flashing	(SFDF) Soffit Drip Flashing	(SFFB) Fascia Board	(SFHF) H-Flashing	(SWCF) C-Flashing
(SWBF) Base Flashing	(SWCOA) Outside Corner	(SWCOB) Alt. Outside Corner	(SWCIA) Inside Corner	(SWCIB) Alt. Inside Corner	(SWZF) Z-Flashing

NOTE: Drawings shown above are for 1" panels. Dimensions for 1-1/2" panels will differ.

**Kynar 500® PVDF
Resin Coatings**

*Please inquire for availability and pricing

13" Clip-Lock 100 11-1/2" Clip-Lock 150 13" MS100 12" MS150 12" T-Panel Narrow Batten 12" SmoothWall	17" Clip-Lock 100 15-1/2" Clip-Lock 150 12" Versa-Span 14" Versa-Span 17" MS100 16" MS150 14" MS200 1-1/2" SmoothWall/Soffit/ Shadowline 16" T-Panel Narrow Batten 14" T-Panel Narrow Batten	16" Versa-Span 18" Versa-Span 18" MS200 18" T-Panel Wide Batten	PBR HR-34 7/8" Corrugated	7/8" Corrugated Flat Sheet 48"W x 120"L
---	--	--	---------------------------------	---

Coil Width		16"			20"			24"			43"			48"		
Name	Color Sample	22 Gauge	24 Gauge	26 Gauge	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum
Glacier White		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Sierra Tan				*	X			X			X			X		*
Parchment		X	X			*		X	X		*	X		X	X	
Sterling Grey		X	*	*	X	*	*	X	X	X	X	X	*	X	X	X
Zinc Grey		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Charcoal Grey		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Saddle Tan				*	X			X			X			X		
Medium Bronze		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Tahoe Blue		*	X	*		*		X	*		*	*		X	*	
Pacific Blue					X			X			*			X		
Hemlock Green				*	X			X			*			X		
Forest Green		X	X	*	X	*		X	X		X	X		X	X	
Pine Green			*	*	X			X			*			X		
Dark Bronze		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Graphite Black		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Matte Black		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Musket			*		X	*		X	X		X	X		X	X	
Terra Cotta			*		X			X			*			X		
Tile Red			*	*	X			X			*			X		
Vintage®			X		*			X			X			X		
ZINCALUME® Plus		X	X		X	*		X	X		X	X		X		
Galvanized		*	*			*		*	*		*	*		*	*	
Rusteel Plus™ (A606)		X				*			X			X			X	
16oz. Copper (20oz Please inquire)			*		*											
Colonial Red		X	*	*		*		X	X		*	X		X	X	
Retro Red			*					X			*			X		
Metallic Silver		X	*		X	*	*	X	X	X	X	X	*	X	X	X
Champagne		*			X			*			X			*		
Antique Patina					X						X			*		
Copper Penny			X		X			*			X			*		
Weathered Zinc		X	X		X	*	*	X	X	X	X	X	*	X	X	X
Matte Mansard Brown			X		X	X		X	X					X		
Ash Grey		X	X		X	X		X	X					X		

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

