




**TAYLOR**  
METAL PRODUCTS

# Residential Flashing Guide


## Versa-Span™ / Clip-Lock™

Northern California




ROOF PLAN SCALE: 1/4" = 1'-0"

# Standard Kynar 500® PVDF Resin



## PREMIUM METALLIC COOL KYNAR 500® COLORS



## SPECIALIZED MATERIAL



Other Taylor Metal companies:



In partnership with:




SRI=Solar Reflectance Index, these are not paint codes. Oil canning is not a cause for material rejection. These printed chips provide a close representation of the colors. Metal samples are available upon request. See inside for panel, gauge & color availability.

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

# Panels shown in this brochure


## Versa-Span™

Panel Options: Striations, Accent Ribs, Pencil Ribs, Flat Pan




## Clip-Lock 100™ / Clip-Lock 150™

Panel Options: Striations, Accent Ribs, Flat Pan




## Lifetime Soffit™

Panel Options: Single or Double V-Grooves or Striated




## Shadowline™

Panel Options: Single or Double V-Grooves or Striated



## SmoothWall™


Panel Options: Single or Double V-Grooves or Striated



# Other popular panels offered by Taylor Metal Products


## Easy-Lock™

Panel Options: Striations, Accent Ribs




## MS-100™ / MS-150™

Panel Options: Striations, Accent Ribs, Flat Pan




## MS-200™


Panel Options: Striations, Accent Ribs, Flat Pan




## 7/8" Classic Corrugated™ 26ga




## 7/8" Classic Corrugated™ 22ga, 24ga, Aluminum



## Tuff Rib




## PBR



## HR-34™


Longer lead time may apply

Standard Rolled Shown - Reverse Rolled Available



## T-Panel™































Panel Options: Striations, Accent Ribs, Flat Pan




For our **entire** panel collection, panel options and additional information, visit [www.taylormetal.com](http://www.taylormetal.com).

For sample requests, please go to [www.taylormetal.com/forms](http://www.taylormetal.com/forms)

# Versa-Span™ 10' Flashings

(VSES) Standard Eave	(VSEH) Hook Eave	(VSAG) Alternate Gable	(VSGB) Box gable	(VSRS) Standard Ridge	(VSWTRFV) WT Ridge Full Vented
					
(VSRFV) Ridge Full Vented	(VSREC) Peak Flashing	(VSRECV) Vented Peak Flashing	(VSWTRECV) WT Vented Peak Flashing	(VSVFW) Wide Valley Flashing	(VSVF) 24" Valley Flashing
					
(VSSW) Sidewall	(VSCSW) Curb Sidewall	(VSEW) Endwall	(VSEWV) Vented Endwall	(VSWTEWV) WT Vented Endwall	(VSCH) Curb Endwall
					
(VSPAN) Back Pan	Inside Pitch Change	Outside Pitch Change	(VSSF) Support Flashing	(VSGC) Gable Cleat	(VSAGC) Alt Gable Cleat
	 Note: Pitch changes are written up as custom flashings	 Note: Pitch changes are written up as custom flashings			
(VSOC) Offset Cleat	(VSRECC) Peak Cleat	(VSVRECC) Vented Peak Cleat	(VSPDV) Perforated Vent Drip: E2886 Ember Resistant	(VSZC) Zee Closure	(VSPS) 4" Perforated Strip
					



# Clip-Lock™ 10' Flashings

(CL100ES/CL150ES) Standard Eave	(CL100EH/CL150EH) Hook Eave	(CL100GA/CL150GA) Alternate Gable	(CL100GB/CL150GB) Box Gable	(CL100RS/CL150RS) Standard Ridge	(CL100RFV/CL150RFV) Full Vented Ridge
(CL100REC/CL150REC) Peak Flashing	(CL100RECV/CL150RECV) Vented Peak Flashing	(CL100VFW/CL150VFW) Wide Valley Flashing	(CL100VF/CL150VF) Valley Flashing	(CL100SW/CL150SW) Sidewall	(CL100CSW/CL150CSW) Curb Sidewall
(CL100EW/CL150EW) Endwall	(CL100EWW/CL150EWW) Vented Endwall	(CL100CH/CL150CH) Curb Endwall	(CL100PAN/CL150PAN) Pan Flashing	(CL100OC/CL150OC) Offset Cleat	(CL100SF/CL150SF) Support Flashing
(CL100GC/CL150GC) Gable Cleat	(CL100AGC/CL150AGC) Alternate Gable Cleat	(CL100RECC/CL150RECC) Peak Cleat	(CL100VRECC/CL150VRECC) Vented Peak Cleat	(CL100ZC/CL150ZC) Zee Closure	(CL100PS/CL150PS) 4" Perforated Strip
(CL100RF/CL150RF) Reglet					

## SmoothWall™ 10' Flashings

## Lifetime Soffit™ 10' Flashings

(SFCF) C-Flashing	(SFFA) Angle Flashing	(SFDF) Soffit Drip Flashing	(SFFB) Fascia Board	(SFHF) H-Flashing	(SWCF) C-Flashing
(SWBF) Base Flashing	(SWCOA) Outside Corner	(SWCOB) Alt. Outside Corner	(SWCIA) Inside Corner	(SWCIB) Alt. Inside Corner	(SWZF) Z-Flashing

NOTE: Drawings shown above are for 1" panels. Dimensions for 1-1/2" panels will differ.

**Kynar 500® PVDF  
Resin Coatings**

\*Please inquire for availability  
and pricing

13" Clip-Lock 100 11-1/2" Clip-Lock 150 13" MS100 12" MS150 12" T-Panel Narrow Batten 12" SmoothWall	17" Clip-Lock 100 15-1/2" Clip-Lock 150 12" Versa-Span 14" Versa-Span 17" MS100 16" MS150 14" MS200 1-1/2" SmoothWall/Soffit/ Shadowline 16" T-Panel Narrow Batten 14" T-Panel Narrow Batten	16" Versa-Span 18" Versa-Span 18" MS200 18" T-Panel Wide Batten	PBR HR-34 7/8" Corrugated	7/8" Corrugated Flat Sheet 48"W x 120"L
---	--	--	---------------------------------	---

Coil Width		16"			20"			24"			43"			48"		
Name	Color Sample	22 Gauge	24 Gauge	26 Gauge	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum
Glacier White		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Sierra Tan				*	X			X			X			X		*
Parchment		X	X			*		X	X		*	X		X	X	
Sterling Grey		X	*	*	X	*	*	X	X	X	X	X	*	X	X	X
Zinc Grey		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Charcoal Grey		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Saddle Tan				*	X			X			X			X		
Medium Bronze		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Tahoe Blue		*	X	*		*		X	*		*	*		X	*	
Pacific Blue					X			X			*			X		
Hemlock Green				*	X			X			*			X		
Forest Green		X	X	*	X	*		X	X		X	X		X	X	
Pine Green			*	*	X			X			*			X		
Dark Bronze		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Graphite Black		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Matte Black		X	X	*	X	*	*	X	X	X	X	X	*	X	X	X
Musket			*		X	*		X	X		X	X		X	X	
Terra Cotta			*		X			X			*			X		
Tile Red			*	*	X			X			*			X		
Vintage®			X		*			X			X			X		
ZINCALUME® Plus		X	X		X	*		X	X		X	X		X		
Galvanized		*	*			*		*	*		*	*		*	*	
Rusteel Plus™ (A606)		X				*			X			X			X	
16oz. Copper (20oz Please inquire)			*		*											
Colonial Red		X	*	*		*		X	X		*	X		X	X	
Retro Red			*					X			*			X		
Metallic Silver		X	*		X	*	*	X	X	X	X	X	*	X	X	X
Champagne		*			X			*			X			*		
Antique Patina					X						X			*		
Copper Penny			X		X			*			X			*		
Weathered Zinc		X	X		X	*	*	X	X	X	X	X	*	X	X	X
Matte Mansard Brown			X		X	X		X	X					X		
Ash Grey		X	X		X	X		X	X					X		

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

