




Residential Flashing Guide

Versa-Span™ / Clip-Lock™


Southwest California



Standard Kynar 500® PVDF Resin



PREMIUM METALLIC COOL KYNAR 500® COLORS



SPECIALIZED MATERIAL



Other Taylor Metal companies:



In partnership with:



SRI=Solar Reflectance Index, these are not paint codes. Oil canning is not a cause for material rejection. These printed chips provide a close representation of the colors. Metal samples are available upon request. See inside for panel, gauge & color availability.

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

Panels shown in this brochure

Versa-Span™ Panel Options: Striations, Accent Ribs, Pencil Ribs, Flat Pan

1 3/4"
4"
12", 14", 16", 18" Coverage

Clip-Lock 100™ / Clip-Lock 150™ Panel Options: Striations, Accent Ribs, Flat Pan

1" or 1 1/2"
CL 100 - 13", 17" Coverage
CL 150 - 15 1/2" Coverage

Lifetime Soffit™ Panel Options: Single or Double V-Grooves or Striated

Available in solid or perforated
1" or 1 1/2"
12" Coverage

Shadowline™ Panel Options: Single or Double V-Grooves or Striated

Reveal available up to 2" in 1/2" increments
1" or 1 1/2"
11" Minimum Coverage

SmoothWall™ Panel Options: Single or Double V-Grooves or Striated

1" or 1 1/2"
12" Coverage

Other popular panels offered by Taylor Metal Products

Easy-Lock™ Panel Options: Striations, Accent Ribs

1"
12" or 16" Coverage

MS-100™ / MS-150™ Panel Options: Striations, Accent Ribs, Flat Pan

MS-100™ = 1" seam
MS-150™ = 1.5" seam
MS-100™ 13", 17", 21" Coverage
MS-150™ 12", 16", 20" Coverage

MS-200™ Panel Options: Striations, Accent Ribs, Flat Pan

2"
12", 14", 16", 18" Coverage

7/8" Classic Corrugated™ 26ga

32" Single Lap Roof & Wall Coverage
7/8" 2 2/3"

7/8" Classic Corrugated™ 22ga, 24ga, Aluminum

37 1/3" Single Lap Roof & Wall Coverage
7/8" 2 2/3"

Tuff Rib

36" Coverage
3/4" 9" Anti-Siphon

PBR

36" Coverage
1/4" 12" Anti-Siphon

HR-34™ Longer lead time may apply Standard Rolled Shown - Reverse Rolled Available

34" Coverage
1 1/2" 6 7/8" Color This Side































T-Panel™ Panel Options: Striations, Accent Ribs, Flat Pan


5/8"
Narrow Batten 12", 16", 20" Coverage
Wide Batten 14", 18" Coverage

For our **entire** panel collection, panel options and additional information, visit www.taylormetal.com.

For sample requests, please go to www.taylormetal.com/forms

Versa-Span™ 10' Flashings

(VSES) Standard Eave	(VSEH) Hook Eave	(VSAG) Alternate Gable	(VSGB) Box gable	(VSRS) Standard Ridge	(VSWTRFV) WT Ridge Full Vented
					
(VSRFV) Ridge Full Vented	(VSREC) Peak Flashing	(VSRECV) Vented Peak Flashing	(VSWTRECV) WT Vented Peak Flashing	(VSVFV) Wide Valley Flashing	(VSVF) 24" Valley Flashing
					
(VSSW) Sidewall	(VSCSW) Curb Sidewall	(VSEW) Endwall	(VSEWV) Vented Endwall	(VSWTEWV) WT Vented Endwall	(VSCH) Curb Endwall
					
(VSPAN) Back Pan	Inside Pitch Change	Outside Pitch Change	(VSSF) Support Flashing	(VSGC) Gable Cleat	(VSAGC) Alt Gable Cleat
	 Note: Pitch changes are written up as custom flashings	 Note: Pitch changes are written up as custom flashings			
(VSOC) Offset Cleat	(VSRECC) Peak Cleat	(VSVRECC) Vented Peak Cleat	(VSPDV) Perforated Vent Drip: E2886 Ember Resistant	(VSZC) Zee Closure	(VSPS) 4" Perforated Strip
					



Clip-Lock™ 10' Flashings

(CL100ES/CL150ES) Standard Eave	(CL100EH/CL150EH) Hook Eave	(CL100GA/CL150GA) Alternate Gable	(CL100GB/CL150GB) Box Gable	(CL100RS/CL150RS) Standard Ridge	(CL100RFV/CL150RFV) Full Vented Ridge
(CL100REC/CL150REC) Peak Flashing	(CL100RECV/CL150RECV) Vented Peak Flashing	(CL100VFW/CL150VFW) Wide Valley Flashing	(CL100VF/CL150VF) Valley Flashing	(CL100SW/CL150SW) Sidewall	(CL100CSW/CL150CSW) Curb Sidewall
(CL100EW/CL150EW) Endwall	(CL100EWW/CL150EWW) Vented Endwall	(CL100CH/CL150CH) Curb Endwall	(CL100PAN/CL150PAN) Pan Flashing	(CL100OC/CL150OC) Offset Cleat	(CL100SF/CL150SF) Support Flashing
(CL100GC/CL150GC) Gable Cleat	(CL100AGC/CL150AGC) Alternate Gable Cleat	(CL100RECC/CL150RECC) Peak Cleat	(CL100VRECC/CL150VRECC) Vented Peak Cleat	(CL100ZC/CL150ZC) Zee Closure	(CL100PS/CL150PS) 4" Perforated Strip
(CL100RF/CL150RF) Reglet					

SmoothWall™ 10' Flashings

Lifetime Soffit™ 10' Flashings

(SFCF) C-Flashing	(SFFA) Angle Flashing	(SFDF) Soffit Drip Flashing	(SFFB) Fascia Board	(SFHF) H-Flashing	(SWCF) C-Flashing
(SWBF) Base Flashing	(SWCOA) Outside Corner	(SWCOB) Alt. Outside Corner	(SWCIA) Inside Corner	(SWCIB) Alt. Inside Corner	(SWZF) Z-Flashing

NOTE: Drawings shown above are for 1" panels. Dimensions for 1-1/2" panels will differ.

**Kynar 500® PVDF
Resin Coatings**

*Please inquire for availability and pricing

13" Clip-Lock 100 13" MS100 (Single Down) 12" MS150 (Single Down) 12" - 1" SmoothWall/Soffit	17" Clip-Lock 100 15.5" Clip-lock 150 14" Versa-Span 17" MS100 (Single Down) 16" MS150 (Single Down) 14.125" MS200 (Single Down) 13.875" MS200 (Double Down) 16" - 1" SmoothWall/Soffit 15" - 1.5" SmoothWall/Soffit	18" Versa-Span 18.125" MS200 (Single Down) 17.875" MS200 (Double Down)	PBR Tuff Rib	7/8" Corrugated Flat Sheet 48"W x 120"L
---	--	--	-----------------	---

Coil Width		16"		20"			24"			43"		48"		
Name	Color Sample	22 Gauge	24 Gauge	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	.032 Alum	24 Gauge	22 Gauge	24 Gauge	22 Gauge	.032 Alum
Glacier White		X	X	X	*	X	X	X	X	*	X	X	X	X
Sierra Tan		X		X		X	X			*		X		X
Parchment		X	X	X	*		X	X		*	X	X	X	
Sterling Grey		X	*	X	*	X	X	X	X	*	X	X	X	X
Zinc Grey		X	X	X	*	X	X	X	X	*	X	X	X	X
Charcoal Grey		X	X	X	*	X	X	X	X	*	X	X	X	X
Saddle Tan		X		X			X			*		X		
Medium Bronze		X	X	X	*	X	X	X	X	*	X	X	X	X
Tahoe Blue		X	X	*	*		X	*		*	*	X	*	
Pacific Blue		X		X			X			*		X		
Hemlock Green				X			X			*		X		
Forest Green		X	X	X	*		X	X		*	X	X	X	
Pine Green			*	X			X			*		X		
Dark Bronze		X	X	X	*	X	X	X	X	*	X	X	X	X
Graphite Black		X	X	X	*	X	X	X	X	*	X	X	X	X
Matte Black		X	X	X	*	X	X	X	X	*	X	X	X	X
Musket			*	X	*		X	X		*	X	X	X	
Terra Cotta		X	*	X			X			*		X		
Tile Red			*	X			X			*		X		
Vintage®			X	*			X			*		X		
ZINCALUME® Plus		X	X	*	*		X	X		*	X	X		
Galvanized		*	*		*		*	*		*	*	*	*	
Rusteel Plus™ (A606)		X			*			X			X		X	
Colonial Red		X	*		*		X	X		*	X	X	X	
Retro Red			*				X			*		X		
Metallic Silver		X	*	X	*	X	X	X	X	*	X	X	X	X
Champagne		*		*			*			*		*		
Antique Patina				*						X		*		
Copper Penny			X	X			*			*		*		
Weathered Zinc		X	X	X	*	X	X	X	X	*	X	X	X	X
Matte Mansard Brown			X	X	X		X	X				X		
Ash Grey		X	X	X	X		X	X				X		

PVDF is a fluoropolymer that is manufactured under the trademarked names Kynar 500® and Duranar (PPG). Paint finishes containing a minimum 70% PVDF resin meet the high-performance weathering criteria established by the American Architectural Manufacturing Association and are allowed to carry the Kynar500® trademarked name. ZINCALUME® & ZINCALUME® Plus are registered trademarks of Bluescope Ltd. Galvalume® is a registered trademark of BIEC International, Inc. Vintage® is a registered trademark of Steelscape, Inc. Kynar® and Kynar 500® is a registered trademarks of Arkema, Inc.

